# SAFETY DATA SHEET Calcofluor White Reagent

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Calcofluor White Reagent

Product number PL.392

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Laboratory reagent.

**Uses advised against**No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Pro-Lab Diagnostics

3 Bassendale Road

Wirral Merseyside CH62 3QL

Tel: 0151 353 1613 Fax: 0151 353 1614 mowen@pro-lab.com

## 1.4. Emergency telephone number

**Emergency telephone** +44 (0)151 353 1613 Monday to Friday 9.00 to 17.00

+44 (0)7714 429 646 outside the above hours

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Carc. 1B - H350

Environmental hazards Not Classified

**Human health** Contains a substance/a group of substances which may cause cancer.

## 2.2. Label elements

#### Hazard pictograms



Signal word Danger

Hazard statements H350 May cause cancer.

**Precautionary statements** P201 Obtain special instructions before use.

P280 Wear protective clothing, gloves, eye and face protection. P308+P313 IF exposed or concerned: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Contains tetrasodium 6,6'-((3,3'-dimethyl-(1,1'-biphenyl-4,4'diyl)bis(azo)bis(4-amino-5-hydroxy-1,3-

naphthalenedisulphonate)

# Calcofluor White Reagent

**Supplementary precautionary** P202 Do not handle until all safety precautions have been read and understood.

statements P405 Store locked up.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

4,4'-bis[4-[bis(2-Hydroxyethyl)amino]-6-anilino-1,3,5-triazin-2-

1 - < 2.5%

yl]amino]stilbene-2,2'-disulphonic acid

Classification

Eye Irrit. 2 - H319

tetrasodium 6,6'-((3,3'-dimethyl-(1,1'-biphenyl-

0.5 - < 1%

4,4'diyl)bis(azo)bis(4-amino-5-hydroxy-1,3-

naphthalenedisulphonate)

CAS number: 314-13-6 EC number: 206-242-5

Classification

Carc. 1B - H350

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Move affected person to

fresh air and keep warm and at rest in a position comfortable for breathing.

**Skin contact** Wash skin thoroughly with soap and water.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse.

# 4.2. Most important symptoms and effects, both acute and delayed

**General information** Anticipated carcinogen.

InhalationIrritation of nose, throat and airway.IngestionMay cause discomfort if swallowed.

**Skin contact** Prolonged skin contact may cause redness and irritation.

**Eye contact** May cause temporary eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

length of exposure.

#### SECTION 5: Firefighting measures

# 5.1. Extinguishing media

# Calcofluor White Reagent

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion

Thermal decomposition or combustion products may include the following substances: Oxides

**products** of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Special protective equipment

Use protective equipment appropriate for surrounding materials.

for firefighters

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected

spillage must be properly labelled with correct contents and hazard symbol.

#### 6.4. Reference to other sections

Reference to other sections See Section 11 for additional information on health hazards. For waste disposal, see Section

13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations.

Advice on general occupational hygiene

Avoid contact with eyes and prolonged skin contact.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

**Ingredient comments**No exposure limits known for ingredient(s).

8.2. Exposure controls

**Eye/face protection** No specific eye protection required during normal use.

Hand protection The most suitable glove should be chosen in consultation with the glove

supplier/manufacturer, who can provide information about the breakthrough time of the glove

material.

# Calcofluor White Reagent

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Blue.

Odourless.

Odour threshold Not determined.

**pH** Not determined.

Melting point Not relevant.

Initial boiling point and range Not determined.

Flash point Not determined.

**Evaporation rate** Not determined.

**Evaporation factor** Not determined.

Flammability (solid, gas) Not relevant.

Upper/lower flammability or

explosive limits

Not relevant.

Vapour pressure

Vapour density

Not determined.

Relative density

Not determined.

Bulk density

Not determined.

Solubility(ies)

Soluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Not relevant.

**Decomposition Temperature** Not relevant.

Viscosity Not determined.

**Explosive properties** Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

9.2. Other information

Other information No information required.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

# 10.3. Possibility of hazardous reactions

# Calcofluor White Reagent

Possibility of hazardous

reactions

products

Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

None at ambient temperatures. Thermal decomposition or combustion products may include

the following substances: Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation**Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

**Genotoxicity - in vivo**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity May cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard, based on chemical structure.

# Calcofluor White Reagent

General information Known or suspected carcinogen for humans. Risk of cancer depends on duration and level of

exposure.

**Inhalation** No specific symptoms known. May cause respiratory system irritation.

Ingestion No adverse effects known. May cause discomfort if swallowed.

**Skin contact** No specific symptoms known. Prolonged skin contact may cause redness and irritation.

Eye contact No specific symptoms known. Prolonged contact may cause redness and/or tearing.

Acute and chronic health

hazards

Contains a substance/a group of substances which may cause cancer.

# Toxicological information on ingredients.

#### 4,4'-bis[4-[bis(2-Hydroxyethyl)amino]-6-anilino-1,3,5-triazin-2-yl]amino]stilbene-2,2'-disulphonic acid

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) > 5000 mg/kg, Rat REACH dossier information. Based on available data the

classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD50) > 2000 mg/kg Rat REACH dossier information. Based on available data the

classification criteria are not met.

Skin corrosion/irritation

Animal data Dose: 0.5 g, 24 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema

score: No oedema (0). REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye

damage/irritation

Eye Irrit. 2 - H319 Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier

information. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro REACH dossier information. Chromosome aberration: Negative. Based on available

data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available

data the classification criteria are not met.

Carcinogenicity

Carcinogenicity NOAEL 542 mg/kg/day, Oral, Rat REACH dossier information. No evidence of

carcinogenicity in animal studies.

Reproductive toxicity

Reproductive toxicity -

Two-generation study - NOAEL 300 mg/kg/day, Oral, Rat P REACH dossier

information. No evidence of reproductive toxicity in animal studies.

Reproductive toxicity -

development

fertility

Developmental toxicity: - NOEL: 1000 mg/kg, Oral, Rat REACH dossier information.

No evidence of reproductive toxicity in animal studies.

tetrasodium 6,6'-((3,3'-dimethyl-(1,1'-biphenyl-4,4'diyl)bis(azo)bis(4-amino-5-hydroxy-1,3-naphthalenedisulphonate)

# Calcofluor White Reagent

Carcinogenicity

Carcinogenicity Carc. 1B - H350 May cause cancer.

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

# SECTION 12: Ecological information

#### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

#### Ecological information on ingredients.

# 4,4'-bis[4-[bis(2-Hydroxyethyl)amino]-6-anilino-1,3,5-triazin-2-yl]amino]stilbene-2,2'-disulphonic acid

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: > 1000 mg/l, Brachydanio rerio (Zebra Fish)

REACH dossier information.

Acute toxicity - aquatic

invertebrates

NOEC, 48 hours: 100 mg/l, Daphnia magna EC<sub>50</sub>, 48 hours: > 100 mg/l, Daphnia magna

REACH dossier information.

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata

REACH dossier information.

**Acute toxicity -** IC<sub>50</sub>, 3 hours: > 100 mg/l, Activated sludge

microorganisms REACH dossier information.

Acute toxicity - terrestrial

LC₀, 14 days: 1.37 mg/kg, Eisenia Fetida (Earthworm) LC₅₀, 14 days: > 1000 mg/kg, Eisenia Fetida (Earthworm) NOEC, 14 days: 1.37 mg/kg, Eisenia Fetida (Earthworm)

REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 1 mg/l, Daphnia magna LOEC, 21 days: 3.2 mg/l, Daphnia magna EC₅o, 21 days: 5.6 mg/l, Daphnia magna

REACH dossier information.

## 12.2. Persistence and degradability

Persistence and degradability No data available.

# Ecological information on ingredients.

# 4,4'-bis[4-[bis(2-Hydroxyethyl)amino]-6-anilino-1,3,5-triazin-2-yl]amino]stilbene-2,2'-disulphonic acid

Phototransformation Water - DT₅₀ : 1.311 - 1.346 hours

Calculation method.

REACH dossier information.

Stability (hydrolysis) pH4, pH7, pH9 - Half-life : > 1 year @ 25°C

REACH dossier information.

**Biodegradation** Water - Degradation (7%): 10 days

Water - Degradation (8%): 15 days Water - Degradation (2%): 28 days

REACH dossier information.

No biodegradation observed under test conditions.

# Calcofluor White Reagent

## 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

4,4'-bis[4-[bis(2-Hydroxyethyl)amino]-6-anilino-1,3,5-triazin-2-yl]amino]stilbene-2,2'-disulphonic acid

Partition coefficient log Pow: -3.50 Calculation method. REACH dossier information.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

Ecological information on ingredients.

4,4'-bis[4-[bis(2-Hydroxyethyl)amino]-6-anilino-1,3,5-triazin-2-yl]amino]stilbene-2,2'-disulphonic acid

Adsorption/desorption

coefficient

Water - log Koc : 2.45 - 4 REACH dossier information.

Henry's law constant 0 Pa m³/mol @ 25°C Calculation method. REACH dossier information.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

# Calcofluor White Reagent

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019 No. 720, as amended.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Abbreviations and acronyms ATE: Acute Toxicity Estimate.

**used in the safety data sheet** LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration. NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration.

Classification abbreviations

and acronyms

Carc. = Carcinogenicity Eye Irrit. = Eye irritation

Classification procedures

according to SI 2019 No. 720

Carc. 1B - H350: Calculation method.

**Revision comments** Revised regulations.

Revision date 26/09/2022

Revision 5

Supersedes date 01/10/2017

SDS number 775

**Hazard statements in full** H319 Causes serious eye irritation.

H350 May cause cancer.

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.