SAFETY DATA SHEET

Malachite Green

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended.

SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Malachite Green
Product number	PL.7030, PL.7030/25, PL.7030/100, PL.7031, PL.7032
1.2. Relevant identified uses	s of the substance or mixture and uses advised against
Identified uses	Laboratory reagent.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of	f the safety data sheet
Supplier	Pro-Lab Diagnostics 3 Bassendale Road Wirral Merseyside CH62 3QL Tel: 0151 353 1613 Fax: 0151 353 1614 mowen@pro-lab.com
1.4. Emergency telephone r	number
Emergency telephone	+44 (0)151 353 1613 Monday to Friday 9.00 to 17.00 +44 (0)7714 429 646 outside the above hours
SECTION 2: Hazards identi	fication
SECTION 2: Hazards identi 2.1. Classification of the sub	
	ostance or mixture
2.1. Classification of the sub	ostance or mixture
2.1. Classification of the sub Classification (SI 2019 No. 7	ostance or mixture 720)
2.1. Classification of the sub Classification (SI 2019 No. 7 Physical hazards	<mark>720)</mark> Flam. Liq. 3 - H226
2.1. Classification of the sub Classification (SI 2019 No. 7 Physical hazards Health hazards	<mark>720)</mark> Flam. Liq. 3 - H226 Eye Irrit. 2 - H319
2.1. Classification of the sub Classification (SI 2019 No. 7 Physical hazards Health hazards Environmental hazards	<mark>720)</mark> Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412
2.1. Classification of the sub Classification (SI 2019 No. 7 Physical hazards Health hazards Environmental hazards Human health	220) Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412 Irritating to eyes.
2.1. Classification of the sub Classification (SI 2019 No. 7 Physical hazards Health hazards Environmental hazards Human health Environmental	pstance or mixture 720) Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412 Irritating to eyes. The product contains a substance which is harmful to aquatic organisms.
2.1. Classification of the sub Classification (SI 2019 No. 7 Physical hazards Health hazards Environmental hazards Human health Environmental Physicochemical	pstance or mixture 720) Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412 Irritating to eyes. The product contains a substance which is harmful to aquatic organisms.

Hazard statements

1226 Elammable liqui

H226 Flammable liquid and vapour.H319 Causes serious eye irritation.H412 Harmful to aquatic life with long lasting effects.

10 - <25%

0.5 - <1%

Malachite Green

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P501 Dispose of contents/ container in accordance with national regulations.
Supplementary precautionary statements	 P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ethanol

CAS number: 64-17-5

EC number: 200-578-6

Substance with National workplace exposure limits.

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319

methanol

CAS number: 67-56-1	EC number: 200-659-6	
Classification		
Flam. Liq. 2 - H225		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
STOT SE 1 - H370		

malachite green oxalate	0.25 - <0.5%
CAS number: 2437-29-8	EC number: 219-441-7
M factor (Acute) = 1	M factor (Chronic) = 1
Classification Acute Tox. 3 - H301 Eye Dam. 1 - H318 Repr. 2 - H361d Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
The full text for all hazard state	ements is displayed in Section 16.
SECTION 4: First aid measure	
4.1. Description of first aid me	asures
General information	Keep affected person away from heat, sparks and flames.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel. If in doubt, get medical attention promptly.
Skin contact	Rinse cautiously with water for several minutes. Remove contaminated clothing. Wash contaminated clothing before reuse.
Eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing.
4.2. Most important symptoms	s and effects, both acute and delayed
Inhalation	If large concentrations are inhaled: Dizziness. Drowsiness.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes mild skin irritation. Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember
5.2 Advice for firefighters	

5.3. Advice for firefighters

Protective actions during firefighting	Fight fire from safe distance or protected location. Use water spray to reduce vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.
Special protective equipment for firefighters	Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self- contained breathing apparatus (SCBA) and appropriate protective clothing. Use protective equipment appropriate for surrounding materials.
SECTION 6: Accidental release	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsFollow precautions for safe handling described in this safety data sheet. No smoking, sparks,
flames or other sources of ignition near spillage. Provide adequate ventilation. Keep
unnecessary and unprotected personnel away from the spillage. Treat the spilled material
according to the instructions in the clean-up section.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material. The product contains substances which are water-soluble and may spread in water systems. The product contains volatile substances which may spread in the atmosphere.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upTake care as floors and other surfaces may become slippery. Contain spillage with sand,
earth or other suitable non-combustible material. Absorb in vermiculite, dry sand or earth and
place into containers. Dispose of waste to licensed waste disposal site in accordance with the
requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling		
Usage precautions	Avoid breathing vapours. Avoid contact with eyes and prolonged skin contact. Avoid the formation of mists. Ground/bond container and receiving equipment.	
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Take off contaminated clothing and wash it before reuse. Wash promptly with soap and water if skin becomes contaminated.	
7.2. Conditions for safe sto	rage, including any incompatibilities	
Storage precautions	Keep at temperature not exceeding 25°C.	
Storage class	Flammable liquid storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure con	trols/Personal protection	

8.1. Control parameters

Occupational exposure limits

ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³ Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

methanol (CAS: 67-56-1)

DNEL	Workers - Inhalation; Long term systemic effects: 260 mg/m ³ Workers - Inhalation; Short term systemic effects: 260 mg/m ³ Workers - Inhalation; Long term local effects: 260 mg/m ³ Workers - Inhalation; Short term local effects: 260 mg/m ³ Workers - Dermal; Long term systemic effects: 40 mg/kg/day Workers - Dermal; Short term systemic effects: 40 mg/kg/day General population - Inhalation; Long term systemic effects: 50 mg/m ³ General population - Inhalation; Short term systemic effects: 50 mg/m ³ General population - Inhalation; Long term local effects: 50 mg/m ³ General population - Inhalation; Short term local effects: 50 mg/m ³ General population - Inhalation; Short term local effects: 50 mg/m ³ General population - Dermal; Long term systemic effects: 8 mg/kg/day General population - Dermal; Short term systemic effects: 8 mg/kg/day General population - Oral; Long term systemic effects: 8 mg/kg/day General population - Oral; Short term systemic effects: 8 mg/kg/day
PNEC	 Fresh water; 20.8 mg/l Fresh water, Intermittent release; 1540 mg/l marine water; 2.08 mg/l STP; 100 mg/l Sediment (Freshwater); 77 mg/kg Sediment (Marinewater); 7.7 mg/kg Soil; 100 mg/kg
8.2. Exposure controls	
Appropriate engineering controls	Avoid inhalation of vapours and spray/mists. Good general ventilation should be adequate to control worker exposure to airborne contaminants. In case of insufficient ventilation, wear suitable respiratory equipment.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended. The breakthrough time for any glove material may be different for different glove manufacturers.
Other skin and body protection	Wear anti-static protective clothing if there is a risk of ignition from static electricity.
Hygiene measures	Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented.
SECTION 9: Physical and che	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance Liquid.	
Colour Green.	
Odour Alcoholic.	
pH Not relevant.	
Melting point Not relevant.	
Initial boiling point and range 78 - 100°C @ 1013 hPa	
Flash point~ 45°C	
Evaporation rate Not determined.	
Flammability (solid, gas) Not determined.	
Upper/lower flammability or Not determined. explosive limits	
Vapour pressure Not determined.	
Vapour density Not relevant.	
Relative density Not determined.	
Solubility(ies) Soluble in water.	
Partition coefficient Not determined.	
Auto-ignition temperature Not determined.	
Decomposition Temperature Not determined.	
Viscosity Not determined.	
Explosive properties Not considered to be explosive.	
Oxidising properties Does not meet the criteria for classification as oxidising.	
9.2. Other information	
Other information None.	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity No test data specifically related to reactivity available for this product or it	ts ingredients.
10.2. Chemical stability	
Stability Stable at normal ambient temperatures and when used as recommended	1.
10.3. Possibility of hazardous reactions	
Possibility of hazardous Acids. Alkalis. Oxidising agents. reactions Image: Comparison of the second se	
10.4. Conditions to avoid	
Conditions to avoid Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials	
Materials to avoidAcids. Alkalis. Oxidising agents.	
10.6. Hazardous decomposition products	

Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrous gases (NOx). Hydrocarbons. Does not decompose when used and stored as recommended.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	25,721.29
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	41,096.71
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (gases ppm)	95,892.33
ATE inhalation (vapours mg/l)	410.97
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes eye irritation.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
Inhalation	No adverse effects known. May cause respiratory system irritation.
Ingestion	No adverse effects known. May cause discomfort if swallowed.
Skin contact	No adverse effects known. Prolonged skin contact may cause temporary irritation.

Toxicological information on ingredients.

ethanol	
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	10,470.0
Species	Rat
Notes (oral LD₅₀)	REACH dossier information. Based on available data the classification criteria are not met.
ATE oral (mg/kg)	10,470.0
Acute toxicity - inhalation	
Acute toxicity inhalation (LC₅₀ vapours mg/l)	124.7
Species	Rat
Notes (inhalation LC₅₀)	REACH dossier information. Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	124.7
Skin corrosion/irritation	
Animal data	Dose: 0.2 ml, 24 hours, Rabbit Primary dermal irritation index: 0 / 8 REACH dossier information. Not irritating.
Serious eye damage/irritati	ion
Serious eye damage/irritation	Dose: 0.1 mL, 21 days, Rabbit Causes eye irritation. REACH dossier information.
Respiratory sensitisation	
Respiratory sensitisation	Rat: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Read across data. Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Carcinogenicity	
IARC carcinogenicity	IARC Group 1 Carcinogenic to humans.
Reproductive toxicity	

Reproductive toxicity - fertility	Two-generation study - NOAEL 15 %, Oral, Mouse P REACH dossier information.
Reproductive toxicity - development	Maternal toxicity: - NOAEL: 16000 ppm, Inhalation, Rat REACH dossier information.
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	LOAEL 4 mL/Kg, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
	methanol
Acute toxicity - oral	
Notes (oral LD₅₀)	International Programme on Chemical Safety (IPCS) (1997) Environmental Health Criteria 196: Methanol. Geneva, World Health Organization. Toxic if swallowed.
ATE oral (mg/kg)	100.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Converted acute toxicity point estimate (cATpE) Toxic in contact with skin.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Converted acute toxicity point estimate (cATpE) Toxic if inhaled.
ATE inhalation (gases ppm)	700.0
ATE inhalation (vapours mg/l)	3.0
Skin corrosion/irritation	
Animal data	Dose: 2.5cm x 2.5cm, 20 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Dose: 0.05 ml, 24 hours, Rabbit REACH dossier information. Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	STOT SE 1 - H370
Target organs	Eyes Central nervous system
Specific target organ toxici	ty - repeated exposure

STOT - repeated exposure LOAEL 2340 mg/kg/day, Oral, Monkey REACH dossier information. Based on available data the classification criteria are not met.

malachite green oxalate

Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	275.0	
Species	Rat	
Notes (oral LD₅₀)	Raw material suppliers' information.	
ATE oral (mg/kg)	275.0	
Serious eye damage/irritat	Serious eye damage/irritation	
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Reproductive toxicity		
Reproductive toxicity - development	Repr. 2 - H361d Suspected of damaging the unborn child.	
SECTION 12: Ecological information		

12.1. Toxicity

Toxicity

Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

ethanol

Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.
Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 5012 mg/l, Ceriodaphnia dubia REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 275 mg/l, Chlorella vulgaris REACH dossier information.
Chronic aquatic toxicity	
Chronic toxicity - fish early life stage	NOEC, 120 hours: 250 mg/l, Brachydanio rerio (Zebra Fish)
Chronic toxicity - aquatic invertebrates	NOEC, 9 days: 9.6 mg/l, Daphnia magna REACH dossier information.
	methanol
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 15400 mg/l, Lepomis macrochirus (Bluegill) EC₅₀, 96 hours: 12700 mg/l, Lepomis macrochirus (Bluegill) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC₅₀, 96 hours: 18260 mg/l, Daphnia magna REACH dossier information.

Acute toxicity - aquatic plants	EC₅₀, 96 hours: ~ 22000 mg/l, Pseudokirchneriella subcapitata REACH dossier information.	
Acute toxicity - microorganisms	IC₅₀, 3 hours: >1000 mg/l, Activated sludge REACH dossier information.	
malachite green oxalate		
Toxicity	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.	
Acute aquatic toxicity		
LE(C)50	$0.1 < L(E)C50 \le 1$	
M factor (Acute)	1	
Acute toxicity - fish	LC₅₀, 96 hours: 0.14 mg/l, Ictalurus punctatus Raw material suppliers' information.	
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.29 mg/l, Daphnia magna Raw material suppliers' information.	
Chronic aquatic toxicity		
M factor (Chronic)	1	
istopos and degradability		

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. Volatile substances are degraded in the atmosphere within a few days.

Ecological information on ingredients.

ethanol

Biodegradation	Water - Degradation (74%): 10 days REACH dossier information. The substance is readily biodegradable.
Chemical oxygen demand	1.99 g O ₂ /g substance REACH dossier information.
	methanol
Phototransformation	Water - DT₅₀ : 17.2 days REACH dossier information.
Biodegradation	Water - Degradation (95%): 20 days Water - Degradation (91%): 15 days Water - Degradation (88%): 10 days Water - Degradation (76%): 5 days REACH dossier information. The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential	Not determined.
---------------------------	-----------------

Partition coefficient

Not determined.

Ecological information on ingredients.

ethanol

	Partition coefficie	log Pow: - 0.35 REACH dossier information.	
		methanol	
	Partition coefficie	log Pow: -0.77 REACH dossier information.	
12.4. Mobilit	y in soil		
Mobility	<u> </u>	The product contains organic solvents which will evaporate easily from all surfaces. The product contains substances which are water-soluble and may spread in water systems.	
Ecological ir	nformation on ingre	ients.	
		ethanol	
	Surface tension	24.5 mN/m @ 20°C/68°F REACH dossier information.	
		methanol	
	Mobility	Mobile.	
12.5. Result	s of PBT and vPvE	assessment	
Results of P assessment	BT and vPvB	This product does not contain any substances classified as PBT or vPvB.	
Ecological ir	nformation on ingre	ients.	
		ethanol	
Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment			
		methanol	
	Results of PBT an assessment	I vPvB This substance is not classified as PBT or vPvB according to current UK criteria.	
12.6. Other	adverse effects		
Other adver	se effects	Not relevant.	
SECTION 1	3: Disposal conside	ations	
13.1. Waste	treatment method		
General info	ormation	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.	
Disposal me	ethods	Do not empty into drains. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Collect and place in suitable waste disposal containers and seal securely. Dispose of contents/container in accordance with national regulations.	
SECTION 14: Transport information			
<u>14.1. UN nu</u>	mber		
UN No. (AD	R/RID)	1993	
UN No. (IMI	DG)	1993	

UN No. (ICAO)	1993
UN No. (ADN)	1993
14.2. UN proper shipping name	2
Proper shipping name (ADR/RID)	FLAMMABLE LIQUID, N.O.S. (ethanol)
Proper shipping name (IMDG)	FLAMMABLE LIQUID, N.O.S. (ethanol)
Proper shipping name (ICAO)	FLAMMABLE LIQUID, N.O.S. (ethanol)
Proper shipping name (ADN)	FLAMMABLE LIQUID, N.O.S. (ethanol)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3
Transport labels	
14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant	
14.6. Special precautions for u	ser
EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to	Not relevant.

Transport in bulk according to Not relevant. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	EH40/2005 Workplace exposure limits.
	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended.
	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 No. 720, as amended.
EU legislation	Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate. BCF: Bioconcentration Factor. DNEL: Derived No Effect Level. EC ₅₀ : 50% of maximal Effective Concentration. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose). NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration. PNEC: Predicted No Effect Concentration. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Eye Irrit. = Eye irritation Repr. = Reproductive toxicity STOT SE = Specific target organ toxicity-single exposure
Classification procedures according to SI 2019 No. 720	Flam. Liq. 3 - H226: Expert judgement. Aquatic Chronic 3 - H412, Eye Irrit. 2 - H319: Calculation method.
Revision comments	Revised regulations.
Revision date	26/09/2022
Revision	9
Supersedes date	01/10/2017
SDS number	809

Hazard statements in full	 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H361d Suspected of damaging the unborn child. H370 Causes damage to organs . H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.