SAFETY DATA SHEET Thiazine Red

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Thiazine Red

Product number PL.7059, PL.7060, PL.7059/25, PL.7059/100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory reagent.

Uses advised againstNo specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Pro-Lab Diagnostics

3 Bassendale Road

Wirral Merseyside CH62 3QL

Tel: 0151 353 1613 Fax: 0151 353 1614 mowen@pro-lab.com

1.4. Emergency telephone number

Emergency telephone +44 (0)151 353 1613 Monday to Friday 9.00 to 17.00

+44 (0)7714 429 646 outside the above hours

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Muta. 2 - H341

Environmental hazards Not Classified

Human health Contains a substance which may cause genetic defects. The product is strongly irritating to

eyes and skin.

2.2. Label elements

Hazard pictograms





Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

Thiazine Red

Precautionary statements P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, eye and face protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Contains phenol

Supplementary precautionary

P362+P364 Take off contaminated clothing and wash it before reuse.

statements P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

 phenol
 1 - <2.5%</th>

 CAS number: 108-95-2
 EC number: 203-632-7

Classification

Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Muta. 2 - H341 STOT RE 2 - H373 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Keep affected person away from heat, sparks and flames.

Inhalation Immediate first aid is imperative. Loosen tight clothing such as collar, tie or belt. Maintain an

open airway. Move affected person to fresh air at once. Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult,

properly trained personnel may assist affected person by administering oxygen.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of

medical personnel. If in doubt, get medical attention promptly.

Skin contact Rinse cautiously with water for several minutes. Remove contaminated clothing. Wash

contaminated clothing before reuse.

Eye contact Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with

plenty of water. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Symptoms following overexposure may include the following: Coughing, chest tightness,

feeling of chest pressure. Drowsiness, dizziness, disorientation, vertigo. Irritation of nose,

throat and airway. May cause discomfort.

Thiazine Red

Ingestion Coughing, chest tightness, feeling of chest pressure. Gastrointestinal symptoms, including

upset stomach.

Skin contact Prolonged contact may cause redness, irritation and dry skin. Causes skin irritation. Redness.

Eye contact Causes serious eye irritation. Profuse watering of the eyes. Prolonged contact may cause

redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Water used for fire extinguishing, which has been in contact with the product, may be

corrosive.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire from safe distance or protected location. Use water spray to reduce vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water.

Special protective equipment

for firefighters

Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use protective

equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. No smoking, sparks,

flames or other sources of ignition near spillage. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take care as floors and other surfaces may become slippery. Contain spillage with sand,

earth or other suitable non-combustible material. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the

requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13. See Section 11

for additional information on health hazards. See Section 12 for additional information on

ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid breathing vapours. Avoid contact with eyes and prolonged skin contact.

Thiazine Red

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Take off contaminated clothing and wash it before reuse. Wash promptly with soap and water if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep at temperature not exceeding 25°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

phenol

Long-term exposure limit (8-hour TWA): WEL 2 ppm 7.8 mg/m³ Short-term exposure limit (15-minute): WEL 4 ppm 16 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

phenol (CAS: 108-95-2)

DNEL Workers - Inhalation; Long term systemic effects: 8 mg/m³

Workers - Inhalation; Short term local effects: 16 mg/m³ Workers - Dermal; Long term systemic effects: 1.23 mg/kg/day

General population - Inhalation; Long term systemic effects: 1.32 mg/m³ General population - Dermal; Long term systemic effects: 0.4 mg/kg/day General population - Oral; Long term systemic effects: 0.4 mg/kg/day

PNEC - Fresh water; 0.008 mg/l

- Intermittent release, Fresh water; 0.031 mg/l

- marine water; 0.001 mg/l

- STP; 2.1 mg/l

Sediment (Freshwater); 0.009 mg/kgSediment (Marinewater); 0.009 mg/kg

- Soil; 0.136 mg/kg

8.2. Exposure controls

Appropriate engineering

controls

Avoid inhalation of vapours and spray/mists. Good general ventilation should be adequate to control worker exposure to airborne contaminants. In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended. The breakthrough time for any glove material may be different for different glove manufacturers.

Hygiene measures Do not eat, drink or smoke when using this product. Eye wash facilities and emergency

shower must be available when handling this product. Good personal hygiene procedures

should be implemented.

Thiazine Red

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Seek advice from

supervisor on the company's respiratory protection standards. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation

of contaminants is possible.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Red.

Odour Almost odourless.

pH Not relevant.

Melting point Not relevant.

Initial boiling point and range Not determined.

Flash point Not determined.

Evaporation rate Not determined.

Flammability (solid, gas) Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure Not determined.

Vapour density Not relevant.

Relative density Not determined.

Solubility(ies) Soluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

us

Acids. Alkalis. Oxidising agents.

Thiazine Red

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Acids. Alkalis. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion products may include the following substances:

products Carbon dioxide (CO2). Carbon monoxide (CO). Nitrous gases (NOx). Hydrocarbons. Does not

decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 10,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 66,000.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 300.0

Skin corrosion/irritation

Animal data Skin Irrit. 2 - H315 Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Eye Irrit. 2 - H319 Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Muta. 2 - H341 Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Thiazine Red

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contactCauses skin irritation. Prolonged and frequent contact may cause redness and irritation.

Eye contact Causes eye irritation. Prolonged contact may cause redness and/or tearing.

Acute and chronic health

hazards

Suspected of causing genetic defects.

Route of exposure Inhalation Ingestion Skin and/or eye contact

Toxicological information on ingredients.

phenol

Acute toxicity - oral

Notes (oral LD₅₀) Acute Tox. 3 - H301 Toxic if swallowed.

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD50 660.0

mg/kg)

Species

Rat

Notes (dermal LD₆₀) REACH dossier information. Acute Tox. 3 - H311 Toxic in contact with skin.

ATE dermal (mg/kg) 660.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Acute Tox. 3 - H331 Toxic if inhaled.

ATE inhalation (vapours

mg/l)

3.0

Skin corrosion/irritation

Animal data Dose: 0.5 g, 24 hours, Rabbit Erythema/eschar score: Severe erythema (beef

redness) to eschar formation preventing grading of erythema (4). REACH dossier

information. Corrosive.

Serious eye damage/irritation

Serious eye Dose: 100 mg, < 14 days, Rabbit REACH dossier information. Corrosive to skin.

damage/irritation Corrosivity to eyes is assumed.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier

information. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Positive. REACH dossier information. May induce

heritable mutations in the germ cells of humans.

Carcinogenicity

Carcinogenicity NOAEL 5000 ppm, Oral, Mouse REACH dossier information. Based on available

data the classification criteria are not met.

Thiazine Red

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - Two-generation study - NOAEL 1000 mg/l, Oral, Rat P REACH dossier information.

fertility Based on available data the classification criteria are not met.

Reproductive toxicity - Developmental toxicity: - NOAEL: 140 mg/kg/day, Oral, Mouse

development No evidence of reproductive toxicity in animal studies.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated

exposure.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met. However, large or frequent

spills may have hazardous effects on the environment.

Ecological information on ingredients.

phenol

Toxicity Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 8.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 3.1 mg/l, Ceriodaphnia dubia

Acute toxicity - aquatic

plants

EC₅o, 96 hours: 61.1 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

Chronic toxicity - fish early NOEC, 60 days: 0.077 mg/l, Cirrhina mrigala

life stage

Chronic toxicity - aquatic

NOEC, 16 days: 0.16 mg/l, Daphnia magna

invertebrates

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. Volatile substances are degraded in the

atmosphere within a few days.

Ecological information on ingredients.

phenol

Phototransformation Water - DT₅₀: 14 hours

Biodegradation Water - Degradation 80.1%: 50 days

12.3. Bioaccumulative potential

Bioaccumulative potential Not determined.

Partition coefficient Not determined.

Ecological information on ingredients.

Thiazine Red

phenol

Bioaccumulative potential BCF: 17.5, Brachydanio rerio (Zebra Fish)

Partition coefficient log Pow: 1.47

12.4. Mobility in soil

Mobility The product contains organic solvents which will evaporate easily from all surfaces. The

product contains substances which are water-soluble and may spread in water systems.

Ecological information on ingredients.

phenol

Adsorption/desorption

Water - Koc: 14-26 @ 25°C

coefficient

Henry's law constant 0.022 Pa m³/mol @ 20°C

Surface tension 71.3 mN/m @ 20°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

phenol

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment

12.6. Other adverse effects

Other adverse effects Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Reuse or recycle products wherever possible. Dispose of surplus products and those that

cannot be recycled via a licensed waste disposal contractor. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

Disposal methodsAbsorb in vermiculite, dry sand or earth and place into containers. Place waste in labelled,

sealed containers. Dispose of contents/container in accordance with national regulations.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Thiazine Red

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019 No. 720, as amended.

EU legislation Council Directive of 20 May 1975 on the approximation of the laws of the Member States

relating to aerosol dispensers (75/324/EEC).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

ATE: Acute Toxicity Estimate. BCF: Bioconcentration Factor. DNEL: Derived No Effect Level.

EC₅₀: 50% of maximal Effective Concentration. IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration. PNEC: Predicted No Effect Concentration.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Eye Dam. = Serious eye damage Repr. = Reproductive toxicity Skin Corr. = Skin corrosion

STOT RE = Specific target organ toxicity-repeated exposure

Thiazine Red

Classification procedures

Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Muta. 2 - H341: Calculation method.

according to SI 2019 No. 720

Revision comments Revised regulations.

Revision date 26/09/2022

Revision 10

Supersedes date 01/10/2017

SDS number 827

Hazard statements in full H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.